

PIC 10A 1C. Midterm 1 Review Problems. TA: Eric Kim. (Updated: 2/9/2016 v2)

1. Re-re-repeat

Write a program that asks the user for a single word, and checks to see if the input word is a "repetition". A word is a repetition if it starts and ends with the same subword. For instance, the following are considered repetition words: cancan, tutu, mama, papa, aa, abab, zaazaa.

To illustrate, here are some example expected outputs for your program:

```
Please enter a word: cancan
The word 'cancan' is a repetition!
Please enter a word: powder
The word 'powder' is not a repetition.
```

2. Be the Compiler

Determine the output of the following code snippets. If the code crashes, does not compile, or never finishes running, explain why. Assume that we have included: `<iostream>`, `<string>`, `<cmath>`, and are using the standard namespace. The first is done for you.

Code	Output
<code>cout << "Hello" << 42;</code>	Hello42
<code>cout << (3/2) + 1;</code>	
<code>cout << 'hi ther' << 'e';</code>	
<code>cout << "What \"is\" 'is'.";</code>	
<code>cout << "\\\a//a\\\";</code>	
<code>int a = 3; if ((a % 2) == 0) { cout << "Abra"; } else if(((a+1) <= 2) ((a*2) >= 6)) { cout << "Kadabra"; } else { cout << "Alakazam"; }</code>	

```
bool a = false;
if (a)
    cout << "meow";
    cout << "bark";
```

```
int i = 1;
while (i < 3) {
    i = i * 2;
}
cout << "i is: " << i;
```

```
int n = 2; bool flag = true;
while ( (n % 2) == 0 ) {
    if (flag) {
        n = (2*n);
        flag = false;
    } else {
        n -= 2;
        flag = true;
    }
}
cout << "n is: " << n;
```

3. The Prime Directive

A number is prime if it is only evenly divisible by itself and 1. For instance, 7 is prime because no other integer evenly divides it other than 7 and 1. On the other hand, 14 is not prime, because it is evenly divisible by 2 and 7. By definition, 1 is not a prime number. The first few prime numbers are: 2, 3, 5, 7, 11, 13, ...

Louis Reasoner wants to write a program that asks the user for a number, and checks to see if it is prime.

```
#include <iostream>
using namespace std;
int main() {
    int n;
    cout << "Enter a number: ";
    cin >> n;
    int i = 2;
    bool isprime = true;
    while (i < n) {
        if ((n % i) == 0) {
            isprime = false;
            i = i + 1;
        } else {
            i = i + 1;
        }
    }
    if (isprime)
        cout << n << " is prime!";
    else
        cout << n << " is NOT prime!";
    return 0;
}
```

Alyssa P. Hacker looks over his code, and comments that the code, while correct, can be made faster for cases where the number is not prime by making a small modification. What could Alyssa be referring to?

4. De Morgan

Determine if each row is logically equivalent. Assume that a, b, and c are integers defined elsewhere. The first has been done for you.

if (!(a == 3) && (b == 5)) cout << 1; else cout << 2;	if ((a != 3) (b != 5)) cout << 1; else cout << 2;
if ((a > 3) && (b < 5)) cout << 1; else cout << 2;	if (!(a <= 3) (b >= 5)) cout << 1; else cout << 2;
if (a b c) { cout << 1; else cout << 2;	if (!a && b && c) cout << 1; else cout << 2;
if ((a<3) && ((b<1) (c>5))) cout << 1; else cout << 2;	if ((a<3) && !((b>=1) && (c<=5))) cout << 1; else cout << 2;

Write Answers Here:

- (a) Logically Equivalent
- (b)
- (c)
- (d)

5. Compiling Your Thoughts

Briefly describe the input and output of each step of the C++ compilation process. The first step has been done for you (preprocessor).

Preprocessor

Input:

C++ source code.

Output:

"Expanded" source code, ie with #include and other preprocessor directives expanded out.

Compiler Input:	
Output:	
Assembler Input:	
Output:	
Linker Input:	
Output:	

6. All Your Base

Complete the following table, converting to/from binary/decimal as needed. The first row has been completed for you.

Decimal (Base 10)	Binary (Base 2)
3	0011
1	
	0010
	1011
	10000
20	