

PIC 10A: Week 2b

Section 1C, Winter 2016

Prof. Michael Lindstrom (TA: Eric Kim)

v1.0

Announcements

- Quiz1, HW1 happened yesterday
- Passing back Quiz1 at end of discussion
 - Regrade requests *must* be made before you leave the room!
 - If you want to regrade your quiz: on a separate sheet of paper, write down your rationale/justification for why you think your quiz needs to be regraded, and give it (and your quiz) to me before you leave the room.

Today

- cout exercises from Tuesday
- Numeric Data types: int vs double
- Base 2, Base 10
- Practice problems
 - work with people around you

int vs double

- In C++, there are several data types used for numeric data
- Two common types are: int and double

```
#include <iostream>
using namespace std;
int main() {
    int myage = 26;
    double myheight = 5.7;
    cout << "I am " << myage << " years old." << endl;
    cout << "I am " << myheight << " feet tall.";
    return 0;
}
```

Output:

```
I am 26 years old.
I am 5.7 feet tall.
```

int

- In C++, "int" is a data type used to store integer quantities
 - Ex: -42, -1, 0, 4, 9000
- Can't store fractional values!
 - C++ will truncate any fractions

```
int x = 42.3;
```

```
int y = 1.99;
```

```
cout << "x: " << x << " y: " << y;
```

Question: What is the output?

Output:
x: 42 y: 1

int: range

- int has a limited representation range
- On most modern machines, an int consists of 32 binary bits
- Range: $-2,147,483,648$ to $2,147,483,647$
 - 2^{31} to $2^{31}-1$
- If the range is exceeded, then resulting value is unreliable
 - Technical term: signed integer overflow has undefined behavior.

int: exceeding range

```
#include <iostream>
#include <cmath> // for pow
using namespace std;
int main() {
    int x = pow(2.0, 31)-1; // largest positive int
    int y = 1;
    int z = x + y; // exceed int range!
    cout << "x: " << x << endl;
    cout << "y: " << y << endl;
    cout << "x + y = " << z << endl;
    return 0;
}
```

Output:

x: 2147483647

y: 1

x + y = -2147483648

Became a negative number! Wow!

double

- A data type to store rational numbers (ie numbers with fractions)
 - Ex: 3.14, 9.0, 42.84
- Has a finite range, and finite precision
- Range: -1.7E+308 to +1.7E+308
- Precision: About 16 decimal digits

Mixing int's and double's

- Be mindful when using both int's and double's together

Example:

```
int x = 42;  
double y = 3.6;  
int z = x + y;
```

Question: What is z?

Answer: 45

Base 2


- Binary: bunch of 0's and 1's
- We can encode **any** integer in base 2


Decimal (base 10)	Binary (base 2)
0	0000
1	0001
2	0010
3	0011
4	0100

etc...

Base 2: Converting to decimal

Base 2:


$$\rightarrow (0 * 2^3) + (1 * 2^2) + (0 * 2^1) + (1 * 2^0)$$


$$\rightarrow 0 + 4 + 0 + 1$$


$$\rightarrow 5 \quad (\text{Base 10})$$

Practice Problems!

- Spend next ~15 minutes on exercises (hand out)
- Feel free to work with others around you!